



(5AX)5-axis U U Machining Manual Quick Clamping System $\left(\begin{array}{c} A \\ B \end{array}\right)$ Autocalibration (Optional) MADE IN GERMANY Automated Cleaning ION Integrated Ionizer Variety of Holder Systems

All-in-One Starter-System

FOR MODERN DENTAL LABORATORIES

Are you looking for an entry-level CAD/CAM technology that is both powerful and affordable?

The CORiTEC 150i series has been specially developed for small and medium-sized dental laboratories and impresses with its user-friendly all-in-one complete solution that enables smooth integration into everyday laboratory work. With its ability to precisely process materials such as zirconium oxide, PMMA, wax and composite, it guarantees the highest production quality. Thanks to the attractive price-performance ratio and the simple metal processing (CORiTEC 150i PRO), the system offers an ideal introduction to digital manufacturing. Low operating costs and fast processing times increase efficiency and maximize profitability in everyday laboratory work.





CORiTEC 150i dry

CORITEC 150i PRO

| Technical data | | |
|--------------------------------|----------|--------------|
| Wet processing | × | ✓ |
| Dry processing | ✓ | ✓ |
| Integrated water tank | × | ✓ |
| Chip tray | ✓ | × |
| Materials | | |
| Ceramics / hybrid materials | ✓ | ✓ |
| PreMilled abutments | ✓ (CoCr) | ✓ (CoCr, Ti) |
| Polymers / plastics | ✓ | ✓ |
| Indications | | |
| All common indications | ••• | •• |

Best in Class!

GET STARTED NOW WITH NEW FEATURES AND THE LATEST UPGRADES



METAL PROCESSING OF COCR BLANKS*

- √ Good surface quality
- √ High variety of indications
- √ High flexibility

INTEGRATED HD CAMERA

- √ Camera view of the milling area and tool changer
- ✓ Perfect for remote support by users and dealers
- √ Live view/recording of the last milling process

iCAM HD INCLUDED (BASED ON HYPERDENT)

- √ Ideally coordinated and optimized templates/strategies
- √ No costs within the first 12 months
- ✓ From the 2nd year: only € 980/year for use, updates & support (subscription model no acquisition costs for software)



iCAM*HD*

by hyperDENT

1 YEAR FREE OF CHARGE

Top-Features

ALL ADVANTAGES AT A GLANCE



POWER MEETS PRECISION

Get started with an exceptional combination of power, speed and precision: The high-frequency spindle with 860 watts and 100.000 rpm makes the CORITEC 150i series the ideal solution for entry-level dental production.

- ✓ Precise and uniform rotary movements enable perfect material processing
- ✓ Powerful spindle enables the processing of a wide range of materials such as zirconia, PMMA, wax and pre-milled abutments
- ✓ Processing times are reduced



BLANK / ADAPTER CHANGE WITHOUT LOSS OF POSITION

- √ Thanks to the manual quick-clamping system the various holder systems can be changed quickly with consistent precision. This enables simple operation without the need for time-consuming calibrations.
- √ The quick-clamping system ensures that the workpiece is held securely in place, which increases precision and therefore surface quality during milling.



PROCESSING COMPLEX INDICATIONS WITH THE C-CLAMP HOLDER

Thanks to the shape of the half-open C-clamp holder, it enables the production of the most difficult indications and ensures maximum flexibility during processing.

- ✓ Makes it easier to process complex geometries
- ✓ Perfect results for demanding indications
- ✓ Ideal for a wide range of applications in production

INCREASED AUTOMATION THROUGH 10-FOLD TOOL CHANGER

Less manual intervention enables a higher level of automation, while the fast tool change significantly reduces shortens machining times. This allows you to carry out complex work with different materials and tools efficiently and versatilely.

- ✓ Less manual intervention, more time for production
- √ Fast tool change for continuous production

The CORITEC® 150i Series: dry vs PRO

DIFFERENCES IN DETAIL



Designed for dry milling

Ideal for materials such as:

- ✓ Zirconia / hybrid materials
- √ CoCr preMilled abutments
- √ Polymers / resins
- ✓ Simplified machine maintenance
- √ Especially suitable for use in laboratories with less complex material requirements

Including chip tray









Designed for wet/dry milling

Offers a greater variety of materials:

- √ Ceramics / Hybrid materials
- √ CoCr preMilled abutments
- √ Ti preMilled abutments
- √ Polymers / Plastics
- √ Glass ceramics

√ Extended range of functions through combinable machining processes (wet + dry)

Integrated water tank

Discover our cost-efficient solution with the CORITEC 150i dry for precise and reliable dry machining - ideal for indications with high dry machining requirements. Benefit from significant cost savings with consistently high quality!

Thanks to the flexible processing options – both dry and wet – the entry-level model of the CORiTEC 150i PRO offers exceptional versatility and is suitable for a wide range of materials. This allows you to constantly increase efficiency and turnover!



Maximum Performance: Wet & Dry

FOR A WIDE VARIETY OF MATERIALS

- ✓ Wet processing with a cooling lubrication system ensures precise results and outstanding surface quality - ideal for glass-ceramic, composite and pre-milled titanium abutments.
- ✓ Dry processing enables you to achieve fast, precise results with zirconia, pre-milled abutments made of CoCr and PMMA - with excellent surface quality and less dust generation.


Perfect Dimensions

SOPHISTICATED, EFFICIENT DESIGN FOR MAXIMUM STABILITY

The CORiTEC 150i series combines compact design with advanced technology for remarkable efficiency. Its robust construction and advanced technology enable fast and precise results even for complex tasks. Ideal for laboratories that require both stability and flexibility in their processes. Enjoy optimal performance and perfect results in a space-saving design.







Variety in Material & Application

FROM CERAMICS TO PREMILLED ABUTMENTS –
PRECISE PRECISE SOLUTIONS FOR EVERYDAY
LABORATORY WORK

















*Material and indications for CORITEC 150i PF

Maximum Flexibility

HOLDER AND ADAPTER

Are you looking for an entry-level CAD/CAM system for your dental laboratory? The CORiTEC 150i series was specially developed for this purpose and offers you a wide range of options in one system.

The manual quick clamping system enables quick and easy workpiece changes. With the flexible holders and adapters of the CORiTEC 150i series, you can design your production processes efficiently and precisely – ideal for laboratories that require both stability and flexibility in the smallest of spaces.

1 BLANK HOLDER

The closed aluminum blank holder offers high stability and is ideal for the precise processing of all common materials in blank form.

2 6-FOLD ADAPTER


With the 6-fold adapter, up to six blocks or abutments can be processed simultaneously. Flexible, interchangeable strips make it easier to adapt to different adapter systems and enable quick material changes for maximum efficiency.

3 C-CLAMP HOLDER

The half-open blank holder enables 5-axis machining with an axis angle of up to 90° and expands the technical possibilities of your milling machine. This flexibility is particularly suitable for complex geometries and precise reworking. Its design ensures exact positioning during milling.

4 UNIVERSAL HOLDER

The universal adapter is a versatile single holder for turning, milling and grinding operations. It offers high accuracy of fit and enables tool-friendly processing. With a wide selection of adapters, it is ideal for glass ceramic blocks and various abutment systems.



117

Versatile Possibilities

INDICATIONS AND APPLICATIONS



THERAPEUTIC SPLINTS


CORiTEC machines represent precision and innovation in the manufacture of therapeutic splints. They combine state-of-the-art technology with maximum flexibility and guarantee perfect results for laboratories and practices.

- √ Bite splints, bleaching splints
- √ Mandibular advancement splint and aligners



MILLING OF FULL DENTURES

The milling process for full dentures combines time and cost efficiency with maximum precision. It guarantees exact results thanks to perfect accuracy of fit and offers flexible design options for base and occlusal surfaces - ideal for Individual and highly esthetic prostheses.



CORITEC® preMill ABUTMENTS

The CORiTEC preMills are supplied with abutment screw and compatible libraries, modules and holders. They enable dental technicians and dentists to produce validated and efficient customized one-piece titanium abutments - with full control over quality and time, in compliance with FDA requirements.

- √ Short production times
- √ Validated overall system
- √ High accuracy of fit thanks to prefabricated implant interface

GRINDING OF CAD/CAM BLOCKS

The 6-fold and 3-fold adapter ensures the precise fabrication of various tooth restoration solutions. The flexibility of the various adapters enables efficient processing.

- √ Crowns and bridge frameworks
- √ Onlays, inlays and veneers







MODEL CASTING

The CORiTEC 150i series enables the precise fabrication of model casting prostheses made of PEEK material, for example, which is ideal for the fabrication of allergy-free and low-weight model casting.

- √ Allergy-free and low-weight model casting
- √ Cost-efficient, functional and comfortable

CROWNS, BRIDGES AND MORE

Perfection down to the last detail: Whether crowns, bridges or full dentures – our machines guarantee flawless results and satisfied customers.

- √ Ceramics and hybrid materials
- √ PreMilled abutments made of CoCr and Ti
- √ Polymers and plastics


Easy-To-Use

INTUITIVELY OPERABLE USER SOFTWARE


The SmartControl software enables intuitive operation of our milling machines – from job selection to monitoring the machine status. With a self-explanatory user interface in several languages, getting started is particularly easy. Just two clicks are all it takes to start a milling process. Benefit from sof tware-supported efficiency that saves time and optimizes your workflow.

CORITEC® SmartControl

- ✓ Modern, intuitive design with touch operation and image-based instructions
- ✓ Intelligent selection of milling jobs
- √ Simple tool and material loading
- √ Auto-calibration of the machine
- √ Assistant-guided cleaning and maintenance
- ✓ Connection to the Dental Smart Market (DSM) platform
- √ Multilingual user interface
- ✓ Automatic updates for maximum safety
- √ Remote monitoring via integrated online camera
- √ Support via remote control



Automated transfer of information from the CAM software



Optimal management of tools



Optimized for touchscreen operation





AUTOCALIBRATION

Autocalibration enables quick and convenient handling to ensure consistently precise results. With intuitive step-by-step instructions and direct integration into the machine control system, the calibration process is simple and efficient. This saves you time and resources, while you can count on reliable and consistent precision.

ASSISTANT-GUIDED CLEANING

The assistant-guided cleaning process makes wet and dry **cleaning** your machine simple and efficient. The integrated step-by-step instructions ensure that the cleaning process

is completed quickly and reliably – without time-consuming preparation or complex instructions. This function not only helps to extend the service life of the machine, but also ensures consistently high performance.



EASY HOLDER CHANGE

The quick-clamping system makes changing the holder precise and uncomplicated. The control software guides users through the process with intuitive step-by-step instructions. As a result, the holder is positioned quickly and accurately, ensuring smooth operation and consistently precise results. At the same time, the workflow is optimized and the time required is significantly reduced.







INDIVIDUAL LANGUAGE SELECTION

The flexible language options of the program interface support the operation in the preferred language. This versatility ensures intuitive use and maximum efficiency in day-to-day work worldwide.

√ German √ French √ English ✓ Portuguese √ Chinese √ Japanese √ Spanish √ Arabic


MILLING PROCESS MONITORING

The integrated HD camera enables direct monitoring of the milling process in real time. If questions or challenges arise, the support team can respond quickly to ensure efficient support.

DSM CONNECTION

The DSM connection enables live monitoring of your machine systems and targeted optimization of your workflow.

- √ Automatic updates & 24/7 access
- √ View machine status live
- ✓ Maintenance reminder
- √ Warranty protection
- √ Machine park overview



Smart High-End Solution

PERFECTLY INTEGRATED CAM SOFTWARE FOR ALL CORITEC MACHINES, MATERIALS AND INDICATIONS


CORITEC® ICAMHD

The CORITEC iCAMHD software combines a high level of automation with efficient order management. Thanks to the intuitive workflow, familiarization is quick and easy, while processing options can be managed individually. Automatic updates keep the software up to date at all times. Validated strategies ensure precise results and excellent surface quality, while integrated collision monitoring guarantees maximum safety in process control.


- √ hyperDENT based CAM software
- √ 1 year free use of the software (annual license fee thereafter)
- √ CAM templates for fast and precise results

iCAM HD advantages at a glance:


- √ High level of automation for efficient and precise production
- √ Intuitive workflow for quick and easy familiarization
- √ Automatic updates keep the software up to date at all times
- √ Perfect tool paths for the highest surface quality
- √ Collision monitoring ensures maximum safety and reliability



Ceramic block in universal holder



Ceramic blocks in 6-fold holder




Various applications in the C-Clamp holder

Flexible and smart

PERFECTLY INTEGRATED CAM SOFTWARE FOR ALL CORITEC MACHINES, MATERIALS AND INDICATIONS

CORITEC® iCAM V5 smart

The CORiTEC iCAM V5 offers exceptional surface quality and maximum accuracy of fit – ideal for all common dental materials. Optimized tool strategies reduce machining time, extend tool life and ensure particularly smooth machine operation. This ensures precise results in 5-axis machining and maximum efficiency of your CAD/CAM system.




- √ 5-axis simultaneous machining: Precision even with undercuts
- √ No enforced annual fees: Maximum cost control
- √ Wizard workflow: Fully automatic, intuitive operation
- √ ReFit function: Flexible exchange of abutment geometries
- √ Retaining bars: Securely positioned for perfect results


Experience CAM technology that revolutionizes your production!



Bite splint made of PMMA in blank holder



Ceramic blocks in 6-fold holder



PreMilled titanium abutments in a 6-position holder

Coordinated, Validated Workflow of the Overall System

SEAMLESSLY INTERLOCKING PROCESSES

The combination of iCAM software, high-quality milling machines and specially developed CORiTEC tools provides you with a validated complete system with full service and support from a single source. imes-icore represents first-class production solutions that seamlessly combine software, precise milling and grinding tools and high-performance machine technology.



28 |

Perfect Synergy

Between Machine, Milling Tools,

iCAM and Materials

CORITEC® temp PMMA disc

CORITEC temp PMMA disc is suitable for the fabrication of:

- ✓ Long-term temporary crown and bridge restorations (up to 3 years) in the anterior and posterior region with up to 2 pontics
- √ Splints for therapeutic restorations for temporomandibular joint problems and functional diagnostics
- √ Denture bases
- √ Temporary anterior veneers for esthetic shape corrections

RADIUS MILLING TOOL



Art.-No. 530004 2503

Cutters and Grinders

CORITEC® TOOLS

CORITEC milling tools guarantee precision and efficiency. Perfectly matched to our machines, they offer maximum performance, durability and optimum results – combined with the right materials for your applications.

- √ 3 mm
- √ High speed milling tools
- √ Torus milling tools
- √ Shaft tools
- √ T-milling tools
- √ Standard milling tools

CAD/CAM Materials

CORITEC® MATERIALS

Our specially developed materials are perfectly matched to CORiTEC machines and guarantee maximum precision and quality. Made in Germany and validated for a wide range of applications, the meet the highest standards for the best results.

- √ priti®multidisc
- √ CORiTEC[®] splint comfort Polymere
- √ CORiTEC® splint basic Polymere
- √ CORiTEC® temp PMMA disc
- √ CORiTEC® gum PMMA disc
- √ CORiTEC® CoCr M6 / W8 disc
- √ GC[®] Initial LiSi Block
- √ GC[®] cerasmart270

- √ VITA ENAMIC® multiColor
- √ VITA VIONIC® BASE DISC HI
- √ VITA CAD-Temp®
- √ VITA YZ HT / VITA YZ T
- √ VITA YZ ST / VITA YZ XT
- √ VITA BLOCS® Mark II
- √ VITA SUPRINTITY® PC
- √ VITA ST, TriLuxe forte
- ✓ VITA YZ MULTITRANSLUCENT





To the milling tool brochure





To CORITEC® Materials www.pritidenta.com

Suction Systems

DUST PROTECTION AND AIR CLEANING

| iVAC silent | iVAC silent PRO | iVAC eco+ |
|-------------|-----------------|-----------|
| | | |

| Technical data | | | |
|------------------------|---|---|----------------------------|
| Volume flow | 160 m³/h | 240 m³/h | 260 m³/h |
| Power | 490 W | 1610 W | 1200 W |
| Filter system | Teflon filter cartridge, automatic cleaning | Teflon filter cartridge, automatic cleaning | Filter bag, HEPA filter |
| Filter flow | 8 l/min / 2.11 gpm | 8 l/min / 2.11 gpm | 25 l/min / 6.6 gpm |
| Compatibility | | | |
| CORITEC 150i Series | $\odot \odot \bigcirc$ | $\odot \odot \odot$ | $\odot \odot \odot$ |



Scanner DIGITAL IMPRESSION

CORITEC® i3Dscan color

- √ Enormously high scanning efficiency and precision
- √ Color texture scan
- √ Blue-light LED & high-resolution camera (2.8 MP)
- \checkmark All modules included in the scope of delivery



CORITEC® i3Dscan color

- √ Automatic object guidance into the measuring field
- √ Modern touch operation
- √ Easy to work with 180° opening

Sintering Furnaces

SINTERING PROCESS FOR ZIRCONIA

iSINT eco

The iSINT eco combines high-quality technology with a space-saving design and a fair price. With a sintering dish of Ø 100 mm, it offers capacity for up to 25 units. The door hinge can be flexibly mounted on the right or left – ideal for a versatile laboratory environment.

iSINT PRO

The iSINT PRO enables the sintering of up to 80 individual crowns. With four MoSi2 heating elements, it offers both long-term sintering and SPEED sintering at up to 90°C/minute. A 4-line LCD display simplifies program control. Additional functions such as timer and service programs as well as a pre-drying program make the iSINT PRO a flexible solution for modern laboratories.



| Technical data | | | | |
|-----------------------------|-------------------------------|-------------------------------|--|--|
| Heating elements | 4 | 4 | | |
| Program memories | 9 | 30 | | |
| Combustion chamber capacity | 1 x 100 (approx. 25 units) | 2 x 120 (approx. 80 units) | | |
| Max. Heating rate | 30 °C/min / 86 °F/min | 90 °C/min / 194 °F/min | | |
| Power | 1720 W | 3200 W | | |
| Lift function | - | / | | |
| Speedsintering | - | / | | |

iSINT eco

ISINT PRO

30

Machine Table

SOPHISTICATED FUNCTIONALITY

Our machine tables combine stability, functionality and sophisticated design - for convenient and efficient use. They offer storage space, stable castors, drawers and space for extraction systems.

- √ Highest quality Made in Germany
- √ Stability for dynamic processes
- √ High level of comfort and ergonomics



Everything at a glance

CORITEC® 150i SERIES IN NUMBERS


CORiTEC 150i dry

CORITEC 150i PRO

| Mechanics / electronics | | |
|---------------------------------|--|--|
| Basic structure (exterior) | Closed mono-block cast body | |
| Number of axes / operation type | 5 axes, simultaneous processing | |
| Rotation angle | A-axis 360°, B-axis 130° | |
| Spindle type | High frequency spindle | |
| Max. Spindle speed / power | 100.000 rpm / 860 W | |
| Spindle cooling | Air cooled | |
| Manual quick clamping system | ✓ | |
| Tools | Milling and grinding tools with 3 mm shaft | |
| Tool changer | 10-fold | |
| Tool length control | ≤ 0.002 mm precision | |
| Software | SmartControl™ , Windows based | |
| Control PC / Display | Integrated control PC / 10'1" touchscreen | |
| Illumination | Dynamic LED illumination | |
| Air pressure | 3 bar / 43.51 psi @ 50 l/min / 13.2 gpm | |
| Coolant tank | 3 I / 0.8 gal | |
| Connection requirements | | |
| Weight | 75 kg | |
| Width x depth x height | 422 x 556 x 644 mm / 16.6 x 21.9 x 25.4 inch | |
| Line voltage / frequency | 100 V – 240 V / 50/60 Hz | |

Global Support

SALES AND SUPPORT PARTNERS IN OVER 100 COUNTRIES









Configure machine directly



Since 2002, imes-icore® has been a leader in CAD/CAM systems for the dental industry. With customized solutions for laboratories, milling centers and dental practices of all sizes, we offer high-performance milling and grinding systems. Our open system philosophy guarantees easy integration into existing workflows.

imes-icore GmbH Im Leibolzgraben 16 36132 Eiterfeld ← +49 (0) 66 72/898 228✓ dental@imes-icore.comwww.imes-icore.com